




Supplementary file 3. Results stratified by volume of the center.


The image number corresponds to the question number of the questionnaire in the supplementary file 1.




2. Tidal Volume used to ventilate during surgery




3. Is the tidal volume generally calculated on the ideal weight or on the actual weight?




4. With what level of PEEP do you ventilate your patients on average?




5. Do you use any method to calculate a best PEEP during surgery?




7. Which FiO2 generally do you use during surgery?




8. Which FiO2 do you use at the weaning from cardiopulmonary bypass?




9. Which ventilation method used during the cardiopulmonary bypass?




10. If you continue ventilation during cardiopulmonary bypass, with which tidal volume?




11. If you continue ventilation during cardiopulmonary bypass, with which PEEP?




12. If you use CPAP during cardiopulmonary bypass, what pressure level do you set?




13. If you switch off the ventilator during cardiopulmonary bypass, do you disconnect the patient from the circuit?




14. Do you perform recruitment maneuvers during surgery?




15. If you perform recruitment maneuvers, with which mode?




16. Do you give cortisone-based drugs routinely during surgery?




19. Do you apply a fast track protocol in your center?




20. If you apply a fast track protocol, do you extubate the patients in the operating theater?




21. How do you ventilate patients during transport?




22. How do you ventilate patients during Intensive Care Unit stay after the neuromuscular blocking agent effect has finished?




23. Which tidal volume target do you have in post-operative Intensive Care Unit stay?




25. If you use PEEP in the post-operative, what value do you generally use?




26. Do you use a method to calculate the best PEEP during Intensive Care Unit stay?




27. Do you routinely carry out recruitment maneuvers before extubation?




28. Do you routinely perform measurements of respiratory mechanics before extubation?



30. In the case of fast track (if carried out), do you antagonize the neuromuscular blocking agent before extubation?



31. What drugs do you routinely use to antagonize the effects of Neuromuscular blocking agent?



32. Do you use non-invasive ventilation after discharge from Intensive Care Unit?

